

**MANUFACTURER & EXPORTER OF LUBRICANT ADDITIVES & GREASES**  
**SUPPLIER OF POLYMER & DYES**





**Mr. Atul B. Shah**  
Director

**Mr. Atul B. Shah (Technical Director)** bears the position of technical head in our company and engaged in technical developments & quality up gradation of additives, lubricants, greases & speciality products.

**Mr. Atul B. Shah**, post graduate in science from Mumbai university with specialization in organic chemistry having over **30 years** experience in the field of petroleum lubricants, additives & speciality chemicals & worked in reputed multinational company **M/s Lubrizol India Ltd, Apar Industries Ltd & M/s Hindustan Petroleum Corporation Ltd** as **R & D Managerial Capacity**.



**Mr. Harshal A. Shah**  
Director

**Mr. Harshal A. Shah** bears the position of **Director** in our company & engaged in complete management marketing of lubricants, additives, greases & speciality products since 2012. **Mr. Harshal A. Shah, Chemical Engineer from Mumbai University** with this sharp business acumen deep domain knowledge & experience in the field have taken the organization to an unparallel peak of success.

## Business Profile

We **Transasia Petrochem Pvt. Ltd.** one of the leading **manufacturer and exporter** of additives for lube oil , greases & fuels located in india. the most trusted additives manufacturing company incorporated in 2012 having more than **100 products** for various **automotive & industrial** lube applications. our products are specially formulated to meet national & international specifications meeting all performance levels. we assure guaranteed quality for our formulated additives. our product range is available to the customers at **competitive prices** with **best performances** requirements to suit end applications.

our products can be manufactured as per **customer specifications**, and we are ready to make modifications to our chemistries and manufacturing processes dependent upon quantities ordered.

### ► Total Quality Management

We are committed to continuously improving our products and processes by having an integrated approach which encompasses the needs and expectations of the customer, our people and processes.

### ► Research & Development

In order to stay ahead of the competition we know it is important to invest in the future by continuously developing new products and technologies, that is why we have R&D laboratories at each of our manufacturing units. If you need confidential assistance in the use of our additives for the development of improved fuels and lubricants, we are ready to work with you.

### ► Supply Chain Management

We At **M/s. Transasia Petrochem Pvt. Ltd.** Understand that in today's fast paced and highly competitive environment, supply chain logistics plays a big part in keeping cost down and delivering the product into the market at the right time, right place and at the right price. having extensive experience in this area we can provide our customers with cost- efficient supply chain solutions.

[www.transasiapetrochem.com](http://www.transasiapetrochem.com) | [www.lubricantadditives.co](http://www.lubricantadditives.co)

## ► Four Stroke Engine Oil Additive

Sr. No.	Product Code	Meets API Performance
1	TAP 3547T	SF,SG,SJ,SL,SM,SN, JASO MA/MA2/MB
2	TAP 3547TS	SG,SJ,SL,SM,SN JASO MA/MA2/MB
3	TAP 355T	SF, SJ, SL, SM,SN, JASO MA/MA2
4	TAP 214S	SF, SJ, SL, SM,SN, JASO MA/MA2



## ► Fork / Shock Absorber Oil Additive

Sr. No.	Product Code	Dosage / Treat Rate %
1	TAP 8643	1.5



## ► Two Stroke Engine Oil Additive

Sr. No.	Product Code	Meets API Performance
1	TAP 6000	JASO FB, JASO FC
2	TAP 6003 (2T OUTBOARD MARINE)	NMMA TC-W2, TC-W3



## ► Passenger Car Motor Oil Additive (PCMO)

Sr. No.	Product Code	Meets API Performance
1	TAP 3547P	SC/CC, SC/CD, SE/CC/CD, SF/CC, SG/ CD, SF/CF, SG/CF, SJ/CF, SL/CF-4, CH-4
2	TAP 933P	SG/CD, SJ/CF, SL/CF-4, SM/SN/CF-4
3	TAP 9333P	SC/CC, SF/CF, SJ/CF, SL/CF-4, SM/CH-4, SM/CI-4

## ► Heavy Duty Engine Oil Engine Oil Additive (HDDO)

Sr. No.	Product Code	Meets API Performance
1	TAP 2121H	SF/CC, SF/CD, SF/CF SG/CD, SJ/CF, SG/CF-4, SL, CH-4, SN
2	TAP 8172H	CF-4, CH-4, CI-4, CI-4 PLUS
3	TAP 8474H	CF, CF-4, CH-4, CI-4, CI-4 PLUS
4	TAP 2121S	CF, CF-4, CH-4, CI-4, CI-4 PLUS





## ► Multi Grade Engine Oil Additive

Sr. No.	Product Code	Meets API Performance
1	TAP 999M	SC/CC, SC/CD, SE/CC, SE/CD, SF/CC, SF/CD, SF/CF, SG/CD, SJ/CF, SG/CF-4, SL/CF-4, CH-4, CI-4
2	TAP 3757M	SM/CI-4
3	TAP 2121M	SB/CB, SC/CC, SD/CC, SE/CD, SF/CC, SF/CD, SF/CF, SG/CF, SJ/SL/CF**, SG/CF-4, SL/CF-4
4	TAP 997M	SC/CC, SC/CD, SE/CC, SE/CD, SF/CC, SF/CD, SF/CF, SG/CD, SJ/CF, SG/CF-4, SL/CF-4, CH-4, CI-4



## ► CNG LPG Engine Oil Additive

Sr. No.	Product Code	Meets API Performance
1	TAP 999G	SC/CC, SC/CD, SE/CC, SE/CD, SF/CC, SF/CD, SF/CF, SG/CF, SJ/CF, SG/CF-4, SL/CF-4, CG-4, CH-4, CJ-4
2	TAP 999GM (LOW ASH)	SC/CC, SC/CD, SE/CC, SE/CD, SF/CC, SF/CD, SF/CF, SG/CF, SJ/CF, SG/CF-4, SL/CF-4, CG-4, CH-4, CJ-4



## ► Marine Engine Oil Additive

Sr. No.	Product Code	Meets API Performance
1	TAP 963	CD, CF, CF-4, CH, CH-4, CI-4



## ► Synthetic / Semi Synthetic Engine Oil Additive

Sr. No.	Product Code	Meets API Performance
1	TAP 171	SL/CH-4, SM/CI-4, SN/CF, SN/CI-4 PLUS
2	TAP 1201 <sup>REDISH (BOA)</sup> (WITH POUR POINT EFFECT)	SL/CH-4, SM/CI-4, SN/CF, SN/CI-4 PLUS



## ► Wet Brake / Universal Tractor Transmission Oil Additive (UTTO)

Sr. No.	Product Code	Dosage / Treat Rate %
1	TAP 6792	6 TO 7 %
2	TAP 7792	6 TO 7 %



## ► Special Engine Oil Additive

Sr. No.	Product Code	Product Description	Meets API Performance
1	TAP 1722	HIGH TBN ENGINE OIL ADDITIVE TBN 200	SC/CC, SC/CD, SE/CC, SE/CD, SF/CC, SF/CD SF/CF, SG/CF, SJ/CF-4
2	TAP 999B	ENGINE OIL ADDITIVE	BS-6
3	TAP 999D	ENGINE OIL ADDITIVE FOR DIESEL GENERATOR	CF-4, CH-4
4	TAP 333	RAILROAD ENGINE OIL ADDITIVE	CF, CF-2, CATERPILLAR 3600 LMOA GENERATION 5, GE GENERATION 4 LONG LIFE
5	TAP 261	ENGINE OIL ADDITIVE CK-4	CI-4, CJ-4, CK-4
6	TAP 920M	HIGH TBN ENGINE OIL ADDITIVE	CI-4, CH-4

## ► Speciality Product

Sr. No.	Product Code	Product Description	Dosage / Treat Rate %
1	TAP 1512	FLUSHING OIL ADDITIVE (FOR BIKE/CAR/TRUCK/BOILER ETC)	30-50 ML PER 1 LTR.
2	TAP 9186	MULTIFUNCTIONAL FUEL ADDITIVE FOR PETROL/DIESEL ENGINE	1 ML PER 1 LTR.
3	TAP 9813	FRICTION MODIFIER	0.1 - 0.5
4	TAP 9813L	LUBRICITY IMPROVER	0.1 - 0.5
5	TAP 2000	MILEAGE BOOSTER FOR ENGINE OILS	0.1 - 0.5
6	TAP 111	DEHAZER ( MOISTURE REMOVER)	0.1 - 0.4
7	TAP 930	ASHLESS MULTI FUNCTIONAL ADDITIVE (ANTIRUST ANTIWEAR)	0.5 - 0.6
8	TAP 9813M (MODDP)	FRICTION MODIFIER (MOLY BASE)	0.25 - 1
9	TAP OTA	ENGINE OIL TREATMENT ADDITIVE	0.3 - 0.5
10	TAP SDA	ENGINE SPECIAL DUTY ADDITIVE	0.3 - 0.5
11	TAP OSA	ENGINE OIL SUPPLEMENT ADDITIVE	0.3 - 0.5
12	TAP RFOA	RADIATOR FLUSHING OIL ADDITIVE	0.3 - 0.5
13	TAP 2286F	MULTIFUNCTIONAL FUEL ADDITIVE - LDO/FO	0.3 - 1.0

## ► Gear Oil Additive (Extreme Pressure)

Sr. No.	Product Code	Product Description	Meets Performance
1	TAP 3433	EP ADDITIVE FOR GEAR OIL (HIGH SULFUR & HIGH WELD LOAD)	GL-4/ GL-5/ GL-3/ GL-2/GL-1/ DIN 51517 PART III, US STEEL 224/ ISO 12925-1 CKC/CKD/ CINCINATI MILACRON THERMAL STABILITY TEST/ AGMA/ANSI 9005 E02
2	TAP 4133	EP ADDITIVE FOR GEAR OIL	"
4	TAP 2133	EP ADDITIVE FOR GEAR OIL	"
5	TAP 255	SULFUR EP ADDITIVE (ACTIVE SULFUR)	"
6	TAP 3433C	EP ADDITIVE FOR GEAR OIL (ACTIVE SULFUR) (LOW SMELL)	"
3	TAP 254	EP ADDITIVE FOR GEAR OIL 40% SULFUR (LOW SMELL)	"

## ► Automatic Transmission Fluid Additive (ATF) / CVT

Sr. No.	Product Code	Meets Performance
1	TAP 401	DEXRON II/IIID-H, FORD MERCON, ALLISON C 4, CATERPILLAR TO 2, FZG, DEX IV
2	TAP 401A (ASHLESS)	DEXRON II/IIID-H, FORD MERCON, ALLISON C 4, CATERPILLAR TO 2, FZG, DEX IV, DEX VI
3	TAP 345	CVT
4	TAP 501	DEXRON II/IIID-H, FORD MERCON, ALLISON C 4, CATERPILLAR TO 2, FZG, DEX IV
5	TAP 408	DEXRON II/IIID-H, FORD MERCON, ALLISON C 4, CATERPILLAR TO 2, FZG, DEX IV



## ► Hydraulic Oil Additive / Circulating Oil Additive

Sr. No.	Product Code	Description
1	TAP 8640 (Zinc Base)	DENISON HF0, HF 1, HF 2, CINCINNATI MILACRON, US STEEL 127, 136 & DIN 51524 PART II, VICKERS VANE PUMP SPECIFICATIONS, AW/HLP
2	TAP 8640A	ASHLESS HYDRAULIC OIL ADDITIVE
3	TAP 8050 (Zinc Base)	"
4	TAP 7180	ASHLESS ANTIWEAR ADDITIVE (HIGH PHOSPHORUS CONTENT)
5	TAP 8030	CIRCULATING OIL ADDITIVE
6	TAP 8610S	SLIDEWAY OIL ADDITIVE



## ► Pump Set Oil Additive

Sr. No.	Product Code	Dosage / Treat Rate %
1	TAP 211	5

## Coolant Additive

Sr. No.	Product Code	Product Description
1	TAP 3333	CORROSION INHIBITOR FOR ANTIFREEZE COOLANT
2	TAP 330T	COOLANT THICKENER
3	TAP 3333A	CORROSION INHIBITOR FOR ANTIFREEZE COOLANT (AMINE FREE)





Sr. No.	Product Code	Product Description
1	TAP EOP	ENGINE OIL PERFUME
2	TAP POP	PREMIUM OIL PERFUME
3	TAP ROP	REFINE OIL PERFUME
4	TAP COP	CUTTING OIL PERFUME
5	TAP GOP	GEAR OIL PERFUME



## Viscosity Index Improver (liquid Base) (viscosity @100 C-1100-2200 CST)

Sr. No.	Product Code	Product Description
1	TAP 403Y	OCP VISCOSITY INDEX IMPROVER YELLOW ( 37-40 SSI )
2	TAP 403W	OCP VISCOSITY INDEX IMPROVER WHITE ( 37-40 SSI )
3	TAP 504	YELLOW PREMIUM OCP VISCOSITY INDEX IMPROVER ( 25-28 SSI )
4	TAP 522	WHITE PREMIUM OCP VISCOSITY INDEX IMPROVER ( 25-28 SSI )
5	TAP 461Y	OCP VISCOSITY INDEX IMPROVER YELLOW ( 45 SSI )
6	TAP 471Y	OCP VISCOSITY INDEX IMPROVER YELLOW ( 45 SSI )
7	TAP 451W	OCP VISCOSITY INDEX IMPROVER WHITE ( 40 SSI )
8	TAP 9-200	LOW SSI VISCOSITY INDEX IMPROVER ( 5 - 10 SSI )
9	TAP 153	LOW SSI VISCOSITY INDEX IMPROVER ( 15 SSI )
10	TAP 431Y	LOW SSI VISCOSITY INDEX IMPROVER ( 40 SSI )
11	TAP 431W	LOW SSI VISCOSITY INDEX IMPROVER ( 40 SSI )



## PMA Based Viscosity Index Improver

Sr. No.	Product Code	Product Description
1	TAP 403M	PMA VISCOSITY INDEX IMPROVER (15-20 SSI)
2	TAP 9-100M	LOW SSI PMAVISCOSITY INDEX IMPROVER (5-10 SSI)



# Viscosity Index Improver OCP Polymer (Granule Form)



Sr. No.	Product Code	Dosage / Treat Rate %	Product Description
1	TAP P115	7-9	SSI 15 TO 18
2	TAP P132	6-8	SSI 25 TO 28
3	TAP P171	6-7	SSI 37
4	TAP P181	7-9	SSI 38
5	TAP P121	7-9	SSI 37
6	TAP P141	6-7	SSI 37
7	TAP P191	5-6	SSI 40 TO 45
8	TAP P7141	5-6	SSI 45
9	TAP P151	5-6	SSI 40-45
10	TAP P241	6-8	SSI 37-40
11	TAP P861	5-6	SSI 40 TO 45

## ► Viscosity Index Improver OCP Polymer (Bale Form)

Sr. No.	Product Code	Dosage / Treat Rate %	Product Description
12	TAP P250	7-9	SSI 24 TO 25



Sr. No.	Product Code	Product Description
1	TAP RED DYE	RED DYE LIQUID
2	TAP GREEN DYE	GREEN DYE LIQUID
3	TAP BLUE DYE	BLUE DYE LIQUID
4	TAP ORANGE DYE	ORANGE DYE LIQUID
5	TAP FLUORO GREEN	FLUORO GREEN DYE LIQUID
6	TAP GOLDEN DYE	GOLDEN DYE LIQUID
7	TAP BROWN DYE	BROWN DYE LIQUID



## ► Coolant Dyes

Sr. No.	Product Code	Product Description
1	TAP RED DYE	RED DYE LIQUID
2	TAP GREEN DYE	GREEN DYE LIQUID
3	TAP BLUE DYE	BLUE DYE LIQUID



# Grease Additive

Sr. No.	Product Code	Product Description
1	TAP 794B	E.P. ADDITIVE FOR GREASE
2	TAP 363N	ANTIOXIDANT FOR GREASE
3	TAP 210	ORGANOCLAY FOR GREASE
4	TAP 567	DROP POINT IMPROVER
5	TAP 958G	RUST INHIBITOR & CORROSION INHIBITOR
6	TAP 5121	TACKIFIER (ANTISPLASHING AGENT)





Sr. No.	Product Code	Product Description
1	TAP 6565	POUR POINT DEPRESSANT
2	TAP 5931	ANTIWEAR ADDITIVE (ZDDP)
3	TAP 5932	ANTIWEAR ADDITIVE (ZDDP)
4	TAP 5933	ANTIOXIDANT ANTIWEAR ADDITIVE
5	TAP 1300	POLYISOBUTYLENE (PIB)-1300 MOL WT.
6	TAP 950	POLYISOBUTYLENE (PIB)-950 MOL WT.
7	TAP 2400	POLYISOBUTYLENE (PIB)-2400 MOL WT.
8	TAP 900	SULFURIZED ISOBUTYLENE (SULFUR%- 40.0-46.0)
9	TAP 1011	SULFURIZED ESTER(SKO)




## ► Petroleum Sulfonate Additive

Sr. No.	Product Code	Product Description
1	TAP 334	CALCIUM PETROLEUM SULFONATE NEUTRAL
2	TAP 3300C	CALCIUM PETROLEUM SULFONATE 300 TBN BOOSTER 300
3	TAP 3400C	CALCIUM PETROLEUM SULFONATE 400 TBN BOOSTER 400
4	TAP 3300M	MAGNESIUM PETROLEUM SULFONATE 300 TBN BOOSTER 300
5	TAP 3400M	MAGNESIUM PETROLEUM SULFONATE 400 TBN BOOSTER 400
6	TAP 4500RP	SODIUM PETROLEUM SULPHONATE (HIGH MOL WT)
7	TAP 4500	SODIUM PETROLEUM SULPHONATE FOR EMULSIFIER
8	TAP 4554	BARIUM PETROLEUM SULFONATE



## ► Dispersant Additive

Sr. No.	Product Code	Product Description
1	TAP 990	POLYISOBUTYLENE SUCCINIC ANHYDRIDE PIBSA
2	TAP 801	POLYISOBUTYLENE SUCCINAMIDE (PIBSI)
3	TAP 801B	BORONISED DISPERSANT
4	TAP 801H	ASHLESS DISPERSANT (HIGH NITROGEN)
5	TAP 9810	DISPERSANT ADDITIVE (NITROGEN- 4 - 5%)
6	TAP 1100M	DISPERSANT FOR LUBRICATING OILS (HIGH NITROGEN 3-4.0)



## ► Defoamer / Antifoam Additive

Sr. No.	Product Code	Product Description
1	TAP 8890	ASHLESS DEFOAMER
2	TAP 8890W	WATER SOLUBLE DEFOAMER
3	TAP 200	SILICON DEFOAMER



## ► Antioxidant

Sr. No.	Product Code	Product Description
1	TAP 4734	ANTIOXIDANT PHENOLIC
2	TAP 363	ANTIOXIDANT AMINIC



## Emulsifier

Sr. No.	Product Code	Product Description	TREAT RATE %
1	TAP 563L	SOLUBLE CUTTING OIL EMULSIFIER	16-18%
2	TAP 563	PREMIUM SOLUBLE CUTTING OILS EMULSIFIER	16-18%
3	TAP 563P	PREMIUM SOLUBLE CUTTING OILS EMULSIFIER (LOW TREAT RATE)	12-16%
4	TAP 563N	CONING OIL EMULSIFIER / ANTISTATIC	6-10%
5	TAP 1810	KNITTING OIL EMULSIFIER	6-12%
6	TAP 563WB	WOOL BATCHING OIL EMULSIFIER	5-8%
7	TAP 536S	SHUTTERING OIL EMULSIFIER	6-9%
8	TAP 234S	SPRAY OIL EMULSIFIER	5-7%

## ► Biocide

Sr. No.	Product Code	Product Description
1	TAP BIO-MB	MORPHOLINE
2	TAP BIO-T	TRIAZINE



## ► Neat Cutting Oil Additive

Sr. No.	Product Code	Product Description
1	TAP 5052	NEAT/STRAIGHT CUTTING OIL ADDITIVE
2	TAP 5054	NEAT/STRAIGHT CUTTING OIL ADDITIVE (CHLORINE FREE)
3	TAP 5055	MULTI METAL NEAT CUTTING ADDITIVE
4	TAP 505E	NEAT CUTTING OIL ADDITIVE
5	TAP 504F	FORMING NEAT CUTTING OIL ADDITIVE (CHLORINE FREE)
6	TAP 5052C	FORMING NEAT CUTTING OIL ADDITIVE (SULFUR FREE & HIGHWELD LOAD)



## ► Rust Preventive & Corrosion Additive

Sr. No.	Product Code	Product Description
1	TAP 5211	RUST & OXIDATION INHIBITOR TYPE OIL ADDITIVE PACKAGE (HIGH NITROGEN 4%-4.5%)
2	TAP 958	RUST & CORROSION INHIBITOR FOR INDUSTRIAL OILS
3	TAP 4545D	RUST PREVENTIVE OIL ADDITIVE DARK COLOR (SEMISOLID)
4	TAP 4545L	RUST PREVENTIVE OIL ADDITIVE LIGHT COLOR (SEMISOLID)
5	TAP 2508	RUST PREVENTIVE OIL ADDITIVE (LIQUID FORM)





Sr. No.	Product Code	Product Description
1	TAP 563A	CORROSION INHIBITOR FOR EMULSIFIER
2	TAP 8641	SPINDLE OIL ADDITIVE
3	TAP 8643	SHOCKABSORBER OIL ADDITIVE(FORK)
4	TAP 5049	HEAT TRANSFER/THERMIC OIL ADDITIVE
5	TAP 4049	THERMIC OIL ADDITIVE
6	TAP 75	COMPRESSOR OIL ADDITIVES
7	TAP 75R	REFRIGERATION COMPRESSOR OIL ADDITIVES
8	TAP 5718	TURBINE OIL ADDITIVES
9	TAP 5049Q	QUENCHING OIL ADDITIVE
10	TAP 8642	PNEUMATIC ROCK DRILL OIL ADDITIVE
11	TAP 4390	METAL DEACTIVATOR
12	TAP 860	METAL DEACTIVATOR (PREMIUM)
13	TAP 205	VACUUM OIL ADDITIVE
14	TAP 1450	PIPELINE RUST & CORROSION INHIBITOR
15	TAP 5052W	WIRE DRAWING OIL ADDITIVE
16	TAP 1810NW	NONWASHABLE KNITTING OIL ADDITIVE
17	TAP 5012	TRANSFORMER OIL ADDITIVE
18	TAP 505PS	STAMPING / PUNCHING OIL ADDITIVE
19	TAP 5053	HONING OIL ADDITIVE




## ► Premium / Synthetic Oils

Sr. No.	Product	Product Description
1	TAP PREMIUM BASE OIL	8 CST
2	TAP SYNTHETIC BASE OIL 4	4 CST
3	TAP SYNTHETIC BASE OIL 6	6 CST
4	TAP SYNTHETIC BASE OIL 8	8 CST
5	TAP SYNTHETIC BASE OIL 40	40 CST
6	TAP SYNTHETIC BASE OIL 100	100 CST



# OUR COMPANY MANUFACTURING FACILITIES





### **Office Address:**

801, Ghanshyam Enclave, Link Road, Lalji Pada,  
Kandivali (W), Mumbai, Maharashtra, India - 400 068.

### **Plant Address:**

Plot No.15, Sr.No. 433/3, 433/4, 441/1, BIDCO Area,  
Mahim Village, Palghar (W), Maharashtra, India - 401 404.

 +91 93231 26536 / 99309 20590

 [info@transasiapetrochem.com](mailto:info@transasiapetrochem.com)

 [www.transasiapetrochem.com](http://www.transasiapetrochem.com)  
[www.lubricantadditives.co](http://www.lubricantadditives.co)